Searching PAJ



Search Results : 58	Index Indication	Clear
Text Search If you want to conduct a Number	r Search, please click on the bu	tton to the right. Number Search
Applicant,Title of invention,Abstrac	ct — e.g. computer semicondu	ctor
If you use the AND/OR operation, please leave a S One letter word or <u>Stopwords</u> are not searchable.	PACE between keywords.	
cut out weld		AND ▼
	AND	
thin deform		OR ▼
	AND	
tube tubular pipe piping tubing hose	rod shaft cyinder	OR <u></u> ▼
	AND	
Date of publication of application -	- e.g.19980401 - 19980405	
	-	
	AND	
IPC — e.g. D01B7/04 A01C11/02		
If you use the OR operation, please leave a SPACE	between keywords.	
		an in the state of
•	*	
	Search Stored d	ata

Copyright (C); 1998,2003 Japan Patent Office

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51741	weld\$4 near (tube or tubing or tubular or hose or pipe or piping or cylinder or cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:12
12	13926	1 and (thin\$4 or cut adj out or deform\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:12
L3	11229	2 and (thin\$4 or cut adj out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:13
L4	184	3 and (thin\$4 or cut adj out) near (edge or circumferen\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:14
L5	1	4 and cancel\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:14
L6	3	4 and deform\$6 near (edge or circumferen\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:15
L7	23	4 and (oval or oblong)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:15
L8	11	4 and (angular\$4 or circumferen\$6) near spac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 10:15

L9	2	7 and 8	US-PGPUB;	OR	ON	2005/05/11 10:16
			USPAT;			
			USOCR;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			